

BCL-2(Ab-56) Antibody

Catalog No: #21059



Package Size: #21059-1 50ul #21059-2 100ul #21059-4 25ul


Overview

Product Name	BCL-2(Ab-56) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Applications	WB IHC IF
Species Reactivity	Hu
Immunogen Type	Peptide-KLH
Target Name	BCL-2
Alternative Names	BCL2


Application Details

Predicted MW: 26kd
Western blotting: 1:500~1:1000
Immunohistochemistry: 1:50~1:100
Immunofluorescence: 1:100~1:200


Images



Western blot analysis of extracts from HeLa, A2780 and 293 cells using BCL-2(Ab-56) Antibody #21059.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using BCL-2(Ab-56) Antibody #21059(left) or the same antibody preincubated with blocking peptide(right).



Immunofluorescence staining of methanol-fixed HeLa cells using BCL-2(Ab-56) Antibody #21059.

Descriptions

Immunogen	Peptide sequence around aa. 54~58 (G-H-T-P-H) derived from Human BCL-2.
Specificity	The antibody detects endogenous level of total BCL-2 protein.
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific peptide.
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.
Accession NO.	Swiss-Prot: P10415NCBI Protein: NP_000624.2

Related Information

Suppresses apoptosis in a variety of cell systems including factor-dependent lymphohematopoietic and neural cells. Regulates cell death by controlling the mitochondrial membrane permeability. Appears to function in a feedback loop system with caspases. Inhibits caspase activity either by preventing the release of cytochrome c from the mitochondria and/or by binding to the apoptosis-activating factor (APAF-1).

Ling, Y. H. et al. (1998) J. Biol. Chem. 273, 18984-18991.

Huang, S.J. and Cidlowski, J.A. (2002) FASEB 16, 825-832.

Deng, X. et al. (2001) J. Biol. Chem. 276, 23681-23688.

Huang ST, et al. (2002) FASEB J Jun; 16(8): 825-32.

Yamamoto, K. et al. (1999) Mol. Cell. Biol. 19, 8469-8478.

Published Papers

Wei-Jun Pang, Yan Xiong, Zhao Zhang et al., Lentivirus-mediated Sirt1 shRNA and resveratrol independently induce porcine preadipocyte apoptosis by canonical apoptotic pathway., Mol Biol Rep., 40(1):129B~C139(2013)

[PMID:23065251](#)

Note: This product is for in vitro research use only and is not intended for use in humans or animals.