BCL-2(Ab-70) Antibody

Catalog No: #21060

Package Size: #21060-1 50ul #21060-2 100ul #21060-4 25ul



Overview


Product Name	BCL-2(Ab-70) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Applications	WB IHC IF
Species Reactivity	Hu
Immunogen Type	Peptide-KLH
Target Name	BCL-2
Alternative Names	BCL2

Application Details


Predicted MW: 26kd

Western blotting: 1:500~1:1000
Immunohistochemistry: 1:50~1:100
Immunofluorescence: 1:100~1:200


Images



Western blot analysis of extracts from MCF cells using BCL-2(Ab-70) Antibody #21060 and the same antibody preincubated with blocking peptide.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using BCL-2(Ab-70) Antibody #21060(left) or the same antibody preincubated with blocking peptide(right).



Immunofluorescence staining of methanol-fixed Hela cells using BCL-2(Ab-70) Antibody #21060.

Descriptions

Immunogen	Peptide sequence around aa.68~72 (R-T-S-P-L) derived from Human BCL-2.
Specificity	The antibody detects endogenous level of total BCL-2 protein.
Purifiction	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were
	purified by affinity-chromatography using epitope-specific peptide.
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%
	sodium azide and 50% glycerol.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.
Accession NO.	Swiss-Prot: P10415NCBI Protein: NP_000624.2

Related Information

BCL-2 encodes an integral outer mitochondrial membrane protein that blocks the apoptotic death of some cells such as lymphocytes. Constitutive expression of BCL2, such as in the case of translocation of BCL2 to Ig heavy chain locus, is thought to be the cause of follicular lymphoma. Two transcript variants, produced by alternate splicing, differ in their C-terminal ends.

Muller IM, et al. (2005) Mol Pharmacol.

Jin Z, Gao F,et al. J Biol Chem 2004 Sep 17; 279(38): 40209-19.

Kumar Biswas S,et al. Mol Cancer Ther 2004 Mar; 3(3): 327-34.

Huang ST,et al. (2002)FASEB J; 16(8): 825-32.

Yamamoto K,et al. (1999) Mol Cell Biol; 19(12): 8469-78.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.